


# Dreamweaver 8 Project 1 Test

## Multiple Choice

Identify the letter of the choice that best completes the statement or answers the question.

- \_\_\_ 1. Dreamweaver users work in the Document window in one of \_\_\_ views.
  - a. two
  - b. three
  - c. five
  - d. six
- \_\_\_ 2. Panel \_\_\_ are sets of related panels docked together below one heading.
  - a. bars
  - b. windows
  - c. clusters
  - d. groups
- \_\_\_ 3. The \_\_\_ bar allows quick access to frequently used commands.
  - a. Insert
  - b. Property
  - c. Object
  - d. Attributes
- \_\_\_ 4. The \_\_\_ bar at the bottom of the Document window provides additional information about the document you are creating.
  - a. property
  - b. document
  - c. status
  - d. tag
- \_\_\_ 5. The \_\_\_ toolbar contains buttons for common operations from the File and Edit menus.
  - a. Document
  - b. Standard
  - c. Operation
  - d. Formatting



- \_\_\_ 6. The \_\_\_ is a toggle key that opens and/or closes all panels and inspectors—like the ones shown in the accompanying figure—at one time.

- a. F1
  - b. F4
  - c. F7
  - d. All of the above
- \_\_\_ 7. The general definition of a(n) \_\_\_ is a set of linked documents with shared attributes, such as related topics, a similar design, or a shared purpose.
- a. index
  - b. site
  - c. cell
  - d. nexus
- \_\_\_ 8. For \_\_\_, you would use the Files panel.
- a. creating files
  - b. viewing files
  - c. deleting items
  - d. All of the above
- \_\_\_ 9. The \_\_\_ method, or Site Definition Wizard, guides you through site setup step by step.
- a. Utilities
  - b. Basic
  - c. Resource
  - d. Advanced
- \_\_\_ 10. Clicking the \_\_\_ button on the Standard toolbar reverses the most recent steps taken.
- a. Fix
  - b. Back
  - c. Undo
  - d. Redo
- \_\_\_ 11. The \_\_\_ button reverses the last undo action.
- a. Return
  - b. Redo
  - c. Restore
  - d. No Change
- \_\_\_ 12. The \_\_\_ box on the Property inspector allows you to apply a Paragraph, Heading, or Preformatted style to text.
- a. Style
  - b. Design
  - c. Format
  - d. Text
- \_\_\_ 13. Heading numbers range from 1 through \_\_\_ and correspond to the HTML elements H1, H2, and so on.
- a. 5
  - b. 6
  - c. 8
  - d. 10
- \_\_\_ 14. \_\_\_ structures are used to set apart document or section titles.
- a. Heading
  - b. Segment
  - c. Horizontal
  - d. Preformatted
- \_\_\_ 15. \_\_\_ provides the largest text.
- a. H1
  - b. BASEFONT
  - c. H6
  - d. either a or b
- \_\_\_ 16. \_\_\_ refers to the basic design of lettering.
- a. font type
  - b. sans serif
  - c. serif
  - d. none of the above
- \_\_\_ 17. \_\_\_ is a monospace font.
- a. Arial
  - b. Courier
  - c. Times New Roman
  - d. Helvetica
- \_\_\_ 18. \_\_\_ are NOT available in the Property inspector.
- a. Ordered lists
  - b. Definition lists
  - c. Unordered lists
  - d. none of the above
- \_\_\_ 19. \_\_\_ is a Dreamweaver color picker.
- a. Grayscale
  - b. Mac OS
  - c. Continuous Tone
  - d. all of the above
- \_\_\_ 20. \_\_\_ is the default color picker in Dreamweaver.
- a. Windows OS
  - b. Color Cubes
  - c. Continuous Tone
  - d. Grayscale
- \_\_\_ 21. Internet Explorer only renders \_\_\_ Web-safe colors.
- a. 125
  - b. 216
  - c. 216
  - d. 216



- \_\_\_ 42. Use the Preformatted style when you do not want a Web browser to change the line of text in any way.
- \_\_\_ 43. The default font used on most Web pages is Times, a serif font.
- \_\_\_ 44. To access styles besides bold and italic, click Text on the menu bar and then point to Format.
- \_\_\_ 45. In Dreamweaver, the default alignment for text is centered.
- \_\_\_ 46. You can align or center part of a heading.
- \_\_\_ 47. You cannot align and center complete blocks of text.
- \_\_\_ 48. If a frame specified in the Target box does not exist when the current document is opened in a browser, the linked page loads in a new window with the name you specified.
- \_\_\_ 49. An ordered list turns the selected paragraph or heading into an item in a bulleted list.
- \_\_\_ 50. An ordered list is similar to an unordered list.
- \_\_\_ 51. Exdent removes the indentation from the selected text by applying or removing the blockquote tag.
- \_\_\_ 52. Within Dreamweaver, you cannot apply new formats after you have typed text.
- \_\_\_ 53. You must select an entire line or paragraph in order to apply block formatting to that line or paragraph.
- \_\_\_ 54. By default, browsers will display the six heading levels in the same font.
- \_\_\_ 55. The point size of the six headings increases as the importance of the heading decreases.
- \_\_\_ 56. You must select a single paragraph in order to center it.
- \_\_\_ 57. You need to select all paragraphs in order to center more than one paragraph at a time.
- \_\_\_ 58. How the text displays on a Web page can improve or detract from the overall appearance.
- \_\_\_ 59. Decorative font styles emulate handwritten letterforms.
- \_\_\_ 60. When you add existing bullets to paragraphs, any blank lines between each bulleted item is removed.
- \_\_\_ 61. The quickest way to add blank lines between bulleted items is to click the ENTER key at the end of each line.
- \_\_\_ 62. Inserting two line breaks after a bulleted item adds a blank line.
- \_\_\_ 63. In HTML, colors are expressed either as decimal values or as color names.
- \_\_\_ 64. If you will be developed for alternative Web devices such as PDA and cell phone displays, you should use the Web-safe color palette.
- \_\_\_ 65. Dreamweaver contains a dictionary with American and British spelling options.
- \_\_\_ 66. The Check Spelling command ignores HTML tags and attributes.
- \_\_\_ 67. More than 25 different Web browsers are in use, most of which have been released in more than one version.
- \_\_\_ 68. After creating a Web page, it is a good practice to test your Web pages by previewing them in Web browsers to ensure they display correctly.
- \_\_\_ 69. In Dreamweaver, you can define up to 100 browsers for previewing.
- \_\_\_ 70. To print a Web page, you must first preview it in a browser.
- \_\_\_ 71. Dreamweaver provides an option to print the Design view, but does not provide an option to print code.
- \_\_\_ 72. Printing a page from a browser is very different from printing a word processing document.

- \_\_\_ 73. Reference materials and other forms of assistance are available using the Dreamweaver Help system.
- \_\_\_ 74. Clicking the Question Mark button in Dreamweaver Help provides context-sensitive help in dialog boxes and panels.
- \_\_\_ 75. To open a Web page from the Files panel, you first must select the appropriate Web site.

### **Completion**

*Complete each sentence or statement.*

- 76. The Dreamweaver \_\_\_\_\_ is an integrated environment in which the Document window and panels are integrated into one larger application window.
- 77. The Dreamweaver \_\_\_\_\_ consists of a variety of components to make your work more efficient and Web pages appear more professional.
- 78. The \_\_\_\_\_ window displays the current document, or Web page, including text, tables, graphics, and other items.
- 79. \_\_\_\_\_ view offers users a design environment in which they can assemble their Web page elements and design their page.
- 80. \_\_\_\_\_ view is a hand-coding environment for writing and editing code.
- 81. The \_\_\_\_\_ displays the Dreamweaver menu names.
- 82. The \_\_\_\_\_ toolbar contains buttons for common operations from the File and Edit menus.
- 83. A Web \_\_\_\_\_ is a set of pages on a server that are viewed through a Web browser by a visitor.
- 84. A(n) \_\_\_\_\_ site is a set of files on a server that make up a Web site.
- 85. A(n) \_\_\_\_\_ site is a set of files on your local disk that correspond to the files on the remote site.
- 86. A Dreamweaver site \_\_\_\_\_ is a set of defining characteristics for a local site.
- 87. A typical path structure has a(n) \_\_\_\_\_ folder, usually called the root and designated by the symbol “\”.
- 88. You can modify default properties like background using the \_\_\_\_\_ dialog box.
- 89. The \_\_\_\_\_ box provides options that allow you to apply a font size to a single character or to an entire page of text.
- 90. The default HTML font size, or \_\_\_\_\_, is 3, which corresponds to 12 points in a word-processing document.
- 91. The \_\_\_\_\_ box contains palettes of colors you can apply to emphasize, differentiate, and highlight topics.
- 92. The \_\_\_\_\_ box allows you to make selected text a hyperlink to a specified URL or Web page.
- 93. The \_\_\_\_\_ type refers to the basic design of the lettering.

94. \_\_\_\_\_ typefaces use small decorative marks to embellish characters and make them easier to read.
95. A(n) \_\_\_\_\_ font is one in which every character takes up the same amount of horizontal space.
96. \_\_\_\_\_ lists contain text preceded by bullets (dots or other symbols) or image bullets.
97. \_\_\_\_\_ lists do not use leading characters such as bullet points or numbers; they are used often for glossaries or descriptions.
98. A Web page \_\_\_\_\_ helps visitors keep track of what they are viewing as they browse.
99. Character codes for causing a browser to show special characters generally are called HTML \_\_\_\_\_.
100. If the page you want to open is part of a Dreamweaver Web site, you can open the file from the \_\_\_\_\_ panel.